

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

| | | | |
|--|--|--|-----------------|
| 1. ORIGINATING ACTIVITY (Corporate author) | | 2a. REPORT SECURITY CLASSIFICATION | |
| US Army Test and Evaluation Command Aberdeen Proving Ground, Maryland 21005 | | UNCLASSIFIED | |
| 2b. GROUP | | | |
| 3. REPORT TITLE | | | |
| US Army Test and Evaluation Command System Service Test Operations Procedure, "Service Unit, Flamethrowers" | | | |
| 4. DESCRIPTIVE NOTES (Type of report and inclusive dates) | | | |
| Final | | | |
| 5. AUTHOR(S) (First name, middle initial, last name) | | | |
| | | | |
| 6. REPORT DATE | | 7a. TOTAL NO. OF PAGES | 7b. NO. OF REFS |
| 22 Mar 72 | | 6 | 2 |
| 8a. CONTRACT OR GRANT NO. | | 8b. ORIGINATOR'S REPORT NUMBER(S) | |
| b. PROJECT NO. | | TOP 4-3-072 | |
| c. AMCR 310-6 | | 8d. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) | |
| d. | | | |
| 10. DISTRIBUTION STATEMENT | | | |
| Approved for public release, distribution unlimited. | | | |
| 11. SUPPLEMENTARY NOTES | | 12. SPONSORING MILITARY ACTIVITY | |
| | | Headquarters US Army Test and Evaluation Command Aberdeen Proving Ground, Maryland 21005 | |
| 13. ABSTRACT | | | |
| Describes a method for evaluation of flamethrower service unit operational and functional performance characteristics. Identifies supporting tests, facilities, and equipment required. Provide procedures for functional tests. | | | |

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
Springfield, Va 22151

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

UNCLASSIFIED
Security Classification

| 14. | KEY WORDS | LINK A | | LINK B | | LINK C | |
|-----|----------------|--------|----|--------|----|--------|----|
| | | ROLE | WT | ROLE | WT | ROLE | WT |
| | Flamethrower | | | | | | |
| | Servicing Unit | | | | | | |

UNCLASSIFIED
Security Classification

U. S. ARMY TEST AND EVALUATION COMMAND
SYSTEM SERVICE TEST OPERATIONS PROCEDURE

AMSTE-RP-702-103

Test Operations Procedure 4-3-072

22 March 1972

SERVICE UNIT, FLAMETHROWER


| Section I. | GENERAL | Paragraph | Page |
|------------|------------------------------------|-----------|------|
| | Purpose and Scope. | 1 | 1 |
| | Background | 2 | 1 |
| | Equipment and Facilities | 3 | 1 |
| II. | TEST PROCEDURES | | |
| | Supporting Tests | 4 | 2 |
| III. | SUPPLEMENTARY INSTRUCTIONS | | |
| | Functional Suitability | 5 | 3 |
| APPENDIX. | REFERENCES | | 4 |

SECTION I
GENERAL

1. Purpose and Scope. This TOP describes test procedures for evaluating the operational and performance characteristics of flamethrower service units. Equipment and test phases include the generation and flamethrower charging of compressed air and a thickened fuel (jellied gasoline).

2. Background. The flamethrower service unit is portable or vehicle mounted and supplies compressed air to portable and mechanized flamethrowers. It has provisions for mixing thickened fuel and transferring the fuel to flame-throwers, flame field expedients, and when necessary firebombs. Components of the service unit are interconnected to perform interrelated functions of mixing and transporting fuel, producing pressurized air, preheating fuel, and generating and controlling it's own power.

3. Equipment and Facilities. The specific requirements are described in the publications in Section II below.




22 March 1972

SECTION II TEST PROCEDURES

4. Supporting Tests. Common Service TOPs and the tests defined in Section III to be considered in formulating a service test plan are as follows:

| <u>TEST SUBJECT TITLE</u> | <u>PUBLICATION NO</u> |
|--|-----------------------|
| a. Operator Training and Familiarization | 10-3-501 |
| b. Safety Hazards | 2-3-501 |
| c. Physical Characteristics | 9-3-500 |
| d. Technical Inspections | 9-3-508 |
| e. Functional Suitability (refer to para 5) | |
| f. Human Factors Engineering | 2-3-516 |
| g. Road Mobility | 2-3-505 |
| h. Cross-Country Mobility | 2-3-504 |
| i. Fuel and Oil Consumption | 2-3-513 |
| j. Compatibility with Related Equipment | 2-3-512 |
| k. Air Portability, Internal - Suitability of Supplies and Equipment for | 7-3-515 |
| m. Air Portability, External - Suitability of Supplies and Equipment for | 7-3-516 |
| n. Maintainability | 2-3-502 |
| o. Maintenance Evaluation - Tools and Test Equipment | 2-3-527 |
| p. Maintenance Evaluation - Technical Manuscripts | 2-3-528 |
| q. Reliability | 7-3-508 |

| | | | | |
|---|---|--|----------|------|
|  | BY | DATE | REVISION | DATE |
| | DISTRIBUTION/AVAILABILITY CODES DIST. AVAIL. AND OR "SECRET" | | | |
| FOR APPROVAL AUTHORIZATION | | WRITE SECTION ENTRY SECTION <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | |

22 March 1972

TOP 4-3-072

SECTION III SUPPLEMENTARY INSTRUCTIONS

5. Functional Suitability.

a. Objective. To determine that the test item has the functional capability and suitability to manufacture and dispense compressed air and thickened fuel in the field as described in applicable MN or other requirement documents.

b. Method. The test item is assembled and operated in accordance with technical manuals and other applicable equipment specifications. Times required to fill various flamethrower or storage vessels (portable or mechanized) are noted along with difficulties encountered. Various types of vehicles are used to transport the test item cross-country per TOP/MTP 2-3-505 at specified intervals of operation (i.e., after 50 hours of stationary operation). A specified percentage of operations are performed under cover of darkness using light inherent to the test item. The adequacy of mixing, preheating, and dispensing of thickened fuel is determined by noting times required to fill various storage vessels and the use of the fuel in flamethrower operations.

c. Data Required.

- (1) Nomenclature of the test item.
- (2) Times required for assembly and disassembly.
- (3) Difficulties encountered during operation.
- (4) Deficiencies and shortcomings observed.
- (5) Personnel type and number required to operate the test item.
- (6) Remarks concerning overall operation of the test item.

d. Analytical Plan. Test results are evaluated to determine whether or not the test item meets the stated performance requirements.

Recommended changes to this publication should be forwarded to Commanding General, US Army Test and Evaluation Command, ATTN: AMSTE-TP Aberdeen Proving Ground, Maryland 21005. Technical information related to this publication may be obtained from the preparing activity, President, US Army Armor and Engineer Board, ATTN: STEBB-MO, Fort Knox, Kentucky 40121. Additional copies of this document are available from the Defense Documentation Center, Cameron Station, Alexandria, Virginia 22314. This document is identified by the accession number (AD No) printed on the first page.

TOF 4-3-072

22 March 1972

APPENDIX
REFERENCES

1. AR 70-38, Research, Development, Test and Evaluation of Material for Extreme Climatic Conditions.
2. TM 3-1040-256-12, Service Unit, Flamethrower, Tracked Vehicle Mounted, XM45E1